

- ☐ Laminate Flooring
- ☐ SPC Vinyl Flooring
- ☐ LVT Flooring



10
Yrs
COMMERCIAL
WARRANTY

25
Yrs
RESIDENTIAL
WARRANTY



LAMINATE | SPC | LVT



Company Advantages

1. Production at the largest flooring factory in Shandong province, spanning over 100,000 square meters with strong production capacity.
2. Advanced automated production equipment that efficiently reduces manufacturing time.
3. A fully equipped laboratory operated by experienced QCs that follow a strict production process to achieve higher quality.
4. The complete product range is available for supply and orders are fully customizable depending on consumer needs.
5. Years of exporting experience that is beneficial during problems.





LAMINATE Flooring

- Easy installation and maintenance
- HDF with stable and durable quality
- Wear and scratch-resistant
- Thousands of color options
- Long lifespan


Thickness: 6.5mm, 7mm, 8mm, 9.5mm, 10mm, and 12mm

Wear Layer: AC0, AC1, AC2, AC3, AC4

AC5 Size: 1218x299mm, 1218x240mm, 1218x168mm,
810x50mm, or customized sizes.

Texture: Wood embossed, Crystal, Hand scraped, **EIR In-**

stallation: Click lock



Press Machine



Cutting



Conditioning Period



Clicking



Loading Containers



Factory Buildings

LAMINATE Flooring

Super
Waterproof

- Easy installation and maintenance
- Eco-friendly
- Waterproof
- Anti-scratch

Super Waterproof

Wet spills are no longer a threat to laminate flooring. Created with advanced technology, our laminate floors are completely waterproof and very durable. These floors were made to hold up in mess-prone or easily wet areas such as children's rooms, hallways, kitchens, and laundry areas.

Why is it waterproof?

The 'thickness swelling' measurement indicates how well flooring retains its characteristics after encountering water. The percentage relays how much the wood has expanded, so the lower the value, the more waterproof the product is. Laminate flooring only swells about 4% after being affected by water for 48 hours. Laminate flooring is less impacted than traditional flooring, with an 18% thickness swelling rate in 24 hours.

	Thickness Swelling %
New	<4% after 48 hours of contact with water
Traditional	<18% after 24 hours of contact with water

Waterproof laminate flooring meets CARB standards with formaldehyde emissions at 0.11 pm/M3, making them the eco-friendly and safer option.



LAMINATE Flooring

- The Herringbone pattern creates visual length by drawing the eyes across the room
- Painted beveled edges give a distinctive V groove that adds depth
- Warm tones and detailed woodgraining emulate the look of real wood floors
- Slip-resistant durability for heavy domestic and commercial usage
- Easy to clean and install with both sides of Herringbone pieces labeled and boxed separately for convenience.
- Comes with an amazing 20-year wear guarantee

Herringbone **Design**

How to choose Laminate Flooring?

Wear Resistance :

AC1	AC2	AC3	AC4	AC5	AC6
Class 21	Class 22	Class 23	Class 31	Class 32	Class 33
Residential Low Utilization	Residential Middle Utilization	Residential High Utilization	Commercial Low Utilization	Commercial Middle Utilization	Commercial High Utilization

Size :



Surface:



Little Emboss



Wood Emboss



Crystal Emboss



Middle Emboss



Glossy EIR



EIR



SPC Flooring

- Easy installation
- Eco-friendly with zero formaldehyde
- Sound absorption and noise reduction
- Waterproof with a longer lifetime
- Thousands of color options

Thickness: 3.5mm, 4mm, 4.5mm, 5mm, 6mm

Wear layer: 0.1mm, 0.2mm, 0.3mm, 0.4mm, 0.5mm

Size: 1220x182mm, 1220x150mm, 910x150mm, 1220x230mm, 1525x230mm, or customized

Installation: Click lock

Underlay form: 1mm, 1.5mm, 2mm EVA & IXPE



Mixing



Extrusion



UV Coating



Clicking



Underlayment(EVA & IXPE)



Package

SPC Flooring

EIR Surface

EIR stands for Embossed-in-Register.

The EIR manufacturing process follows a printed design to give non-wood flooring a wood-like look, depth, and texture through embossing and hand-scraping techniques.



Available EIR Range:



EIR 1




EIR 2



EIR 3



EIR 4



EIR 5

How to choose SPC Flooring?

610x125mm, 1220x150mm, 1220x182mm,
1220x230mm, 1525x230mm, or customized



Surface Finishes:




EIR




Stone



Crystal



Light BP




BP



LVT Flooring

- Easy installation
- Eco-friendly with zero formaldehyde
- Waterproof with a longer lifetime
- Thousands of color options
- Affordable



LVT stands for Luxury Vinyl Tile; also referred to as Luxury Vinyl Plank or Luxury Vinyl Flooring.

LVT is a layered tile or plank consisting of PVC, print film, and an embossed wear layer with diverse functionality and design options.



Mixing



Extrusion



UV Coating



Cutting



Trimming




Package

LVT Flooring


Product	LVT Flooring
Thickness	1.5mm, 2.0mm, 2.5mm, 3.0mm
Wear Layer	0.007mm, 0.1mm, 0.15mm, 0.2mm, 0.3mm, 0.5mm, 0.7mm
Size	6"x36", 7"x48", 9"x48", 18"x18", 24"x24" or customized
Edge Style	Square Edge, Micro Bevel
Surface	Plain, BP or Stone
Type	Glue Down, Vinyl Flooring Plank
Contact us for catalog and sample inquiries.	

Accessories Range:

SPC Flooring Accessories:



SPC Skirting 1
2400x60x12



SPC Skirting 3
2400x80x12



SPC Reducer
2400x45x8



SPC End Cap
2400x35x8



SPC Quarter Round
2400x28x15



SPC Stair Nose 1
2400x55x18




SPC T-Moulding
2400x45x6



SPC Stair Board L-1
2400x130x25

Laminate flooring accessories:



Skirting Board



Skirting Board




End Cap



T-Molding



Scotia



Reducer




Quarter Round



Stair Nose

A modern office interior featuring a large window overlooking a green landscape. In the foreground, a white desk with a black base is partially visible. Several white office chairs with orange patterned backs are arranged in a row. The floor is covered with a variety of square carpet tiles in different colors and patterns, including brown, beige, and grey. The text "Carpet Designs & Colors" is overlaid in the center of the image.

Carpet Designs & Colors



9001



9007



9008



9006



9009



9003



9011



9013



9004



Stone Designs & Colors




12



05



8102




Interprint
IP
IP



Wood Designs & Colors

Wood Designs & Colors



7.25"x60" 984x1580mm




Oak 6239



FE9518

1220X230X5.5mm/0.3



FE9521

1220X230X5.5mm/0.3



FE1097

1220X230X6.5mm/0.5




FE1098

1220X230X6.5mm/0.5



FE1099

1220X230X6.5mm/0.5



FE1100

1220X230X6.5mm/0.5



7.25"x60" 984x1580mm



Oak 6123



Herringbone
Design

SPC
Flooring

1164



1001




8013



8042



8021







LAMINATE Flooring





CANADA

52-5080, Timberlea Blvd., Mississauga, ON, L4W 4M2
5000 Yonge Street, Suite 1901, Toronto, ON, M2N 7E9

CHINA

Suite No: 3733, Changping Business Building
No.99 Honghua Road, Futian Free Trade Zone, Shenzhen, 518048, Guangdong

UNITED KINGDOM

www.adhecogen.com